



## Ray Files of Bridgelux F90 2835 0.2W 3V BXFN-XXX-11L-37 Products

FTP links to ray files for Bridgelux F90 2835 0.2W 3V BXFN-XXX-11L-37 SMD products can be found in this document. In order to download the ray files, please click on the link.

### Note:

- The files are based on test of a 4000K 90CRI part at nominal drive current 65mA
- Customers designing on other color SKUs or at other drive or thermal conditions can use these ray files and adjust the LOP level accordingly in their design software.
- All the ray files are generated with 1M rays (IES and EUL format have 10M rays).
- All the rays are generated on a plane at  $z=0$ , which is at the center of the top surface of light emitting area. For details about where  $z=0$  is aligned, please refer to the two photos at the end of this file, or read radiant source model in ProSource (under alignment tab).

### Radiant Source Model with color information

[BXFN-XXX-11L-37\(Radiant Imaging Source\)](#)

### Tris-Color:

[BXFN-XXX-11L-37\(Generic ASCII Format\)](#)  
[BXFN-XXX-11L-37\(Generic Binary Format\)](#)  
[BXFN-XXX-11L-37\(LightTools Binary Format\)](#)

### Photopic:

[BXFN-XXX-11L-37\(ASAP Format\)](#)  
[BXFN-XXX-11L-37\(ASCII Format\)](#)  
[BXFN-XXX-11L-37\(FRED Format\)](#)  
[BXFN-XXX-11L-37\(Generic Binary Format\)](#)  
[BXFN-XXX-11L-37\(LightTools Format\)](#)  
[BXFN-XXX-11L-37\(LucidShape Format\)](#)  
[BXFN-XXX-11L-37\(OptiCAD Format\)](#)  
[BXFN-XXX-11L-37\(Optics Format\)](#)  
[BXFN-XXX-11L-37\(Photopia Format\)](#)  
[BXFN-XXX-11L-37\(SIMULUX Format\)](#)  
[BXFN-XXX-11L-37\(SPECTER Format\)](#)  
[BXFN-XXX-11L-37\(TracePro Format\)](#)  
[BXFN-XXX-11L-37\(Zemax Format\)](#)



**Spectral (spectrum adjusted by view angle)**

[BXFN-XXX-11L-37\(Generic ASCII\)](#)  
[BXFN-XXX-11L-37\(FRED Binary\)](#)  
[BXFN-XXX-11L-37\(Generic Binary\)](#)  
[BXFN-XXX-11L-37\(LightTools Binary\)](#)  
[BXFN-XXX-11L-37\(OptiCAD\)](#)  
[BXFN-XXX-11L-37\(Optis Binary\)](#)  
[BXFN-XXX-11L-37\(Photopia Binary\)](#)  
[BXFN-XXX-11L-37\(TracePro Binary\)](#)  
[BXFN-XXX-11L-37\(Zemax Binary\)](#)

**Spectral (spectrum adjusted by emission location)**

[BXFN-XXX-11L-37\(Generic ASCII\)](#)  
[BXFN-XXX-11L-37\(FRED Binary\)](#)  
[BXFN-XXX-11L-37\(Generic Binary\)](#)  
[BXFN-XXX-11L-37\(LightTools Binary\)](#)  
[BXFN-XXX-11L-37\(OptiCAD\)](#)  
[BXFN-XXX-11L-37\(Optis Binary\)](#)  
[BXFN-XXX-11L-37\(Photopia Binary\)](#)  
[BXFN-XXX-11L-37\(TracePro Binary\)](#)  
[BXFN-XXX-11L-37\(Zemax Binary\)](#)

**EUL and IES files:**

[BXFN-XXX-11L-37\(EULUMDAT Format\)](#)  
[BXFN-XXX-11L-37\(IES Format\)](#)

### Alignment during radiant source model and ray file generation

