



Ray Files of Bridgelux Vero13 BXRC-XXX2000-C-2X

FTP links to ray files for Bridgelux Vero13 BXRC-XXX2000-C-2X LED Array products can be found in this document. In order to download the ray files, please Ctrl + click on the link.

Note:

- The ray files in this file are for Vero13 BXRC-XXX2000-C-2X; for Vero13 BXRC-XXX2000-C-0X, please refer to a different file on Bridgelux website.
- Customers designing on other color SKUs can use the ray files of 30E and adjust the LOP level in their design software.
- All the ray files are generated with 1M rays (IES and EUL format have 10M rays).
- Both Spectral and TrisColor ray files have color information.
- All the rays are generated on a plane at $z=0$. In terms of where $z=0$ is aligned, please refer to the two photos at the end of this file, or find more details in reading radiant source model in ProSource (under alignment tab).
- 3D CAD files of Vero13 BXRC-XXX2000-C-2X also provided.

Radiant Source Model with color and spectra information

[BXRC-XXX2000-C-2X\(Radiant Imaging Source\)](#)

Spectral (spectrum adjusted by view angle):

[BXRC-XXX2000-C-2X\(Generic ASCII\)](#)
[BXRC-XXX2000-C-2X\(FRED Binary\)](#)
[BXRC-XXX2000-C-2X\(Generic Binary\)](#)
[BXRC-XXX2000-C-2X\(LightTools Binary\)](#)
[BXRC-XXX2000-C-2X\(OptiCAD\)](#)
[BXRC-XXX2000-C-2X\(Optis Binary\)](#)
[BXRC-XXX2000-C-2X\(Photopia Binary\)](#)
[BXRC-XXX2000-C-2X\(Zemax Binary\)](#)

Spectral (spectrum adjusted by emission location, Delta uv tolerance: 0.003):

[BXRC-XXX2000-C-2X\(Generic ASCII\)](#)
[BXRC-XXX2000-C-2X\(FRED Binary\)](#)
[BXRC-XXX2000-C-2X\(Generic Binary\)](#)
[BXRC-XXX2000-C-2X\(LightTools Binary\)](#)
[BXRC-XXX2000-C-2X\(OptiCAD\)](#)
[BXRC-XXX2000-C-2X\(Optis Binary\)](#)
[BXRC-XXX2000-C-2X\(Photopia Binary\)](#)
[BXRC-XXX2000-C-2X\(Zemax Binary\)](#)



Tris-Color:

- [BXRC-XXX2000-C-2X\(Generic ASCII Format\)](#)
- [BXRC-XXX2000-C-2X\(Generic Binary Format\)](#)
- [BXRC-XXX2000-C-2X\(LightTools Binary Format\)](#)
- [BXRC-XXX2000-C-2X\(Zemax Format\)](#)

Photopic:

- [BXRC-XXX2000-C-2X\(ASAP Format\)](#)
- [BXRC-XXX2000-C-2X\(ASCII Format\)](#)
- [BXRC-XXX2000-C-2X\(FRED Format\)](#)
- [BXRC-XXX2000-C-2X\(Generic Binary Format\)](#)
- [BXRC-XXX2000-C-2X\(LighTools Format\)](#)
- [BXRC-XXX2000-C-2X\(LucidShape Format\)](#)
- [BXRC-XXX2000-C-2X\(OptiCAD Format\)](#)
- [BXRC-XXX2000-C-2X\(Optis Format\)](#)
- [BXRC-XXX2000-C-2X\(Photopia Format\)](#)
- [BXRC-XXX2000-C-2X\(SIMULUX Format\)](#)
- [BXRC-XXX2000-C-2X\(SPECTER Format\)](#)
- [BXRC-XXX2000-C-2X\(TracePro Format\)](#)
- [BXRC-XXX2000-C-2X\(Zemax Format\)](#)

EUL and IES files:

- [BXRC-XXX2000-C-2X\(EULUMDAT Format\)](#)
- [BXRC-XXX2000-C-2X\(IES Format\)](#)

3D CAD File:

- [BXRC-XXX2000-C-2X\(3D CAD Files\)](#)

Alignment during radiant source model and ray file generation

